



Drilling Fluids, Inc.

DESCRIPTION

MAGMA FIBER

MAGMA FIBER is an acid soluble lost circulation material [LCM]. **MAGMA FIBER** is a specially formulated, extrusion spun mineral fiber. This coarse, long flexible fiber will give increased circulation by bridging and plugging of voids, fractures, and all types of permeable formations.

USES

MAGMA FIBER is used to block formations that will later be used as production or injection zones. For use in zones that can be safely acidized.

BENEFITS

MAGMA FIBER works with both oil and water based mud systems. It is more than 96% soluble in 7.5-15% hydrochloric acid solution thus minimizing permanent plugging of the producing formation.

TREATMENT

MAGMA FIBER can be used in concentrations of up to 30+ pounds per barrel in slug treatments or as an additive to the entire system. **MAGMA FIBER** has been used in concentrations of 1/2 bag every 30 minutes for ongoing seepage, to concentrations of 5-15 pounds per barrel for seepage or total losses. The shaker screen needs to be watched when the slug comes around to clean or bypass the shaker screen. **MAGMA FIBER** should be mixed through the hopper or can be added directly to the mud when sufficient agitation is present.

FUNCTION

MAGMA FIBER acts to block fractures and permeable formations by bridging across pore throats.

TYPICAL PHYSICAL PROPERTIES

Physical appearance.....White/Grey Fiber

Specific Gravity..... 2.6

SAFE HANDLING RECOMMENDATIONS

Utilize normal precautions for employee protection when handling chemical products. Use of appropriate respirator, gloves, goggles, and apron is recommended for employee comfort and protection. Do not reuse empty containers. See Material Safety Data Sheet [MSDS] for this product prior to use.

PACKAGING

MAGMA FIBER is packaged in 30 pound sacks.

GEO Drilling Fluids, Inc.

1431 Union Avenue
Bakersfield, CA 93305

1-800-GETSGEO

(661)325-5919

geodf@geodf.com

For more info visit:

geodf.com

